

# Bug Report

June 12, 2018

LyX crashes under moving of any of the panes to the left side.

## 1 Reproducing

View -> Outline Pane (as well any of the panes) -> drag it to the left, crash occurs

## 2 System configuration

- Linux 4.13.0-39-generic
- x86\_64
- XFCE 4.12 DE

## 3 Stack trace

```
( 1) lyx: lyx() [0x8d807d]
( 2) lyx: lyx() [0x8d74fb]
( 3) lyx: lyx() [0x59d50c]
( 4) /lib/x86_64-linux-gnu/libc.so.6: /lib/x86_64-linux-gnu/libc.so.6(+0x354b0)
[0x7fca5b0f04b0]
( 5) /usr/lib/x86_64-linux-gnu/libQtGui.so.4: /usr/lib/x86_64-linux-gnu/libQtGui.so.4(+0x5dd7b9)
[0x7fca5cb307b9]
( 6) /usr/lib/x86_64-linux-gnu/libQtGui.so.4: /usr/lib/x86_64-linux-gnu/libQtGui.so.4(+0x5dd781)
[0x7fca5cb30781]
( 7) /usr/lib/x86_64-linux-gnu/libQtGui.so.4: /usr/lib/x86_64-linux-gnu/libQtGui.so.4(+0x5dd97a)
[0x7fca5cb3097a]
( 8) /usr/lib/x86_64-linux-gnu/libQtGui.so.4: /usr/lib/x86_64-linux-gnu/libQtGui.so.4(+0x6013e7)
[0x7fca5cb543e7]
( 9) /usr/lib/x86_64-linux-gnu/libQtGui.so.4: /usr/lib/x86_64-linux-gnu/libQtGui.so.4(+0x5d08f6)
[0x7fca5cb238f6]
( 10) /usr/lib/x86_64-linux-gnu/libQtGui.so.4: /usr/lib/x86_64-linux-gnu/libQtGui.so.4(+0x603119)
[0x7fca5cb56119]
```

```

( 11) /usr/lib/x86_64-linux-gnu/libQtCore.so.4: QMetaObject::activate(QObject*,
QMetaObject const*, int, void**)
( 12) /usr/lib/x86_64-linux-gnu/libQtCore.so.4: /usr/lib/x86_64-linux-gnu/libQtCore.so.4(+0x5d178)
[0x7fca5c0bd178]
( 13) /usr/lib/x86_64-linux-gnu/libQtCore.so.4: /usr/lib/x86_64-linux-gnu/libQtCore.so.4(+0x5d0bc)
[0x7fca5c0bd0bc]
( 14) /usr/lib/x86_64-linux-gnu/libQtGui.so.4: /usr/lib/x86_64-linux-gnu/libQtGui.so.4(+0x67b471)
[0x7fca5cbce471]
( 15) /usr/lib/x86_64-linux-gnu/libQtGui.so.4: /usr/lib/x86_64-linux-gnu/libQtGui.so.4(+0x60286a)
[0x7fca5cb5586a]
( 16) /usr/lib/x86_64-linux-gnu/libQtGui.so.4: /usr/lib/x86_64-linux-gnu/libQtGui.so.4(+0x5cf33b)
[0x7fca5cb2233b]
( 17) /usr/lib/x86_64-linux-gnu/libQtGui.so.4: /usr/lib/x86_64-linux-gnu/libQtGui.so.4(+0x5cf6fd)
[0x7fca5cb226fd]
( 18) /usr/lib/x86_64-linux-gnu/libQtGui.so.4: QDockWidget::event(QEvent*)
( 19) /usr/lib/x86_64-linux-gnu/libQtGui.so.4: QApplicationPrivate::notify_helper(QObject*,
QEvent*)
( 20) /usr/lib/x86_64-linux-gnu/libQtGui.so.4: QApplication::notify(QObject*,
QEvent*)
( 21) lyx: lyx() [0x8eab0c]
( 22) /usr/lib/x86_64-linux-gnu/libQtCore.so.4: QCoreApplication::notifyInternal(QObject*,
QEvent*)
( 23) /usr/lib/x86_64-linux-gnu/libQtGui.so.4: QApplicationPrivate::sendMouseEvent(QWidget*,
QMouseEvent*, QWidget*, QWidget*, QWidget**, QPointer<QWidget>&,
bool)
( 24) /usr/lib/x86_64-linux-gnu/libQtGui.so.4: /usr/lib/x86_64-linux-gnu/libQtGui.so.4(+0x2493f2)
[0x7fca5c79c3f2]
( 25) /usr/lib/x86_64-linux-gnu/libQtGui.so.4: QApplication::x11ProcessEvent(_XEvent*)
( 26) /usr/lib/x86_64-linux-gnu/libQtGui.so.4: /usr/lib/x86_64-linux-gnu/libQtGui.so.4(+0x272542)
[0x7fca5c7c5542]
( 27) /lib/x86_64-linux-gnu/libglib-2.0.so.0: /lib/x86_64-linux-gnu/libglib-
2.0.so.0(g_main_context_dispatch+0x2a7) [0x7fca5abf0197]
( 28) /lib/x86_64-linux-gnu/libglib-2.0.so.0: /lib/x86_64-linux-gnu/libglib-
2.0.so.0(+0x4a3f0) [0x7fca5abf03f0]
( 29) /lib/x86_64-linux-gnu/libglib-2.0.so.0: /lib/x86_64-linux-gnu/libglib-
2.0.so.0(g_main_context_iteration+0x2c) [0x7fca5abf049c]
( 30) /usr/lib/x86_64-linux-gnu/libQtCore.so.4: QEventDispatcherGlib::processEvents(QFlags<QEve
( 31) /usr/lib/x86_64-linux-gnu/libQtGui.so.4: /usr/lib/x86_64-linux-gnu/libQtGui.so.4(+0x272616)
[0x7fca5c7c5616]
( 32) /usr/lib/x86_64-linux-gnu/libQtCore.so.4: QEventLoop::processEvents(QFlags<QEventLoop::Pr
( 33) /usr/lib/x86_64-linux-gnu/libQtCore.so.4: QEventLoop::exec(QFlags<QEventLoop::ProcessEven
( 34) /usr/lib/x86_64-linux-gnu/libQtCore.so.4: QCoreApplication::exec()
( 35) lyx: lyx() [0x5a62fd]
( 36) lyx: lyx() [0x43d1cd]
( 37) /lib/x86_64-linux-gnu/libc.so.6: /lib/x86_64-linux-gnu/libc.so.6(__libc_start_main+0xf0)
[0x7fca5b0db830]

```

( 38) lyx: lyx() [0x446419]