DATA ENTRY SE	PREADSHHET FOR PR	ACTICE FMTS	1 AUGUST K6IQL									
YOUR	NAME	GRID	TEST 1	SIGNAL	TEST 2	SIGNAL	TEST 3	SIGNAL	TEST 4	SIGNAL	TEST 5	SIGNAL
CALL		SQ	K6IQL 20 M	QUALITY	K7HIL 20 M	QUALITY	K6IQL 40 M	QUALITY	K7HIL 40 M	QUALITY	K7HIL 40 M	QUALITY
			FREQUENCY	S OR DBM	FREQUENCY	S OR DBM	FREQUENCY	S OR DBM	FREQUENCY	S OR DBM	FREQUENCY	S OR DBM
1	2	3	4	5	6	7	8	9	10	11	12	13
SAMPLE	NAME	XZ22	14121501.23	-90	14121602.731	-80	NONE	NONE	7106470.345	S7	3598307.671	-87
ONLY THE DATA	A ON THE GREEN LINE	NEED BE SU	BMITTED. YOU CAN FILL OU	UT THIS SPREAD S	HEED AND SEND II TO J	ohncroos@aol.com						
VOLUMINET SLIB	MIT 12 ITEMS IN THE	AROVE OPDE	R. IF NO DATA FOR A GIVE	N TEST places EN	TED NONE EOD BOTH EE	SECTIONS AND SI	GNAL OHALITY AS SE	HOWN ABOVE				
100 M031 30B	JAMIN TOTTEMONY THE	ABOVE ORDE	K. II NO DATATOR A GIVE	IN TEST please LIN	TER NONE FOR BOTTITI	CEQUENCT AND SI	ONAL QUALITY AS SI	IOWIN ABOVE.				
OP VOLLCAN SE	END IT AS A SINGLE LI	NE IN AN EMA	IL. EACH ITEM MUST BE SE	EDADATED BY A CO	OMMA							
OK TOO CAN SE	LIND IT AS A SINGLE LI	INC III AN EINA	IL. LACITILINI MOST BL SE	LIAKATEDBIAC	JIVIIVIA.							-
												-
OR YOU CAN SE	END IT AS A TEXT FILE	ATTACHED T	O YOU EMAIL.									
AGAIN EACH ITE	EM IS SEPARATED BY	A COMMA.										
IMPORTANT - AL	LL FREQUENCIES ARE	ENTERED IN	hz WITH NO COMMAS IN TH	HE NUMBER								
EXAMPLE		BAD	14,121, 005.003	co	MMAS IN NUMBER SCR	EWS UP PARSER I	HAVE TO RETYPE		<u>-</u>			
		BAD	14121005.003	21005.003 LETTER "O" USED IN PLACE OF "zero '0' ". SO I HAVE TO RETYPE								
		GOOD	14121005.003		RRECT ENTRY							